



bahram saghafian

Papers in Journals

1. Dehghani, M , Saghafian, B , Rivaz, F , Khodadadi, A,Uncertainty Analysis of Monthly Streamflow Forecasting,Current World Environment,Vol. 9,pp. 894-902,2014.
2. Mohammadpour, O , Hassanzadeh, Y , Khodadadi, A , Saghafian , B,Selecting the Best Flood Flow Frequency Model Using Multi-Criteria Group Decision-Making,Water Resources Management,Vol. 28,pp. 3957-3974,2014.
3. Saghafian, B , Ghasemi Aghbalaghi, S , Nasserri, M,Backcasting Long Term Climate Data: Evaluation of Hypothesis,Theoretical and Applied Climatology,Vol. 132,pp. 717-726,2018.
4. Kefayati, M , Saghafian, B , Ahmadi, A , Babazadeh, H,Empirical evaluation of river basin sustainability affected by inter basin water transfer using composite indicators,Water and Environment Journal,Vol. 32,pp. 104-111,2018.
5. Sharifi, E , Steinacker, R , Saghafian, B,Multi Time-Scale Evaluation of High-Resolution Satellite-Based Precipitation Products over Northeast of Austria,Atmospheric Research,Vol. 206,pp. 46-63,2018.
6. Aminyavari, S , Saghafian, B , Delavar, M,Evaluation of TIGGE ensemble forecasts of precipitation in distinct climate regions in Iran,Advances in Atmospheric Sciences,Vol. 35,pp. 457-468,2018.
7. Safavi, S , Shamsayi , Saghafian, B,Reduced Order Salinity Modeling of the Urmia Lake Using MIKE3 and Proper Orthogonal Decomposition Models,Water Resources,Vol. 45,pp. 728-737,2018.
8. Yazdi, J , Moghaddam, M.S , Saghafian, B,Optimal Design of Check Dams in Mountainous Watersheds for Flood Mitigation,Water Resources Management,Vol. 32,pp. 4793-4811,2018.
9. Karbasi, M , Shokoohi, A.R , Saghafian, B,Loss of Life Estimation Due to Flash Floods in Residential Areas using a Regional Model,Water Resources Management,Vol. 32,pp. 4575-4589,2018.
10. Hassanjabar, A , Saghafian, B , Jamali, S,Multi-reservoir system management under alternative policies and environmental operating conditions,Hydrology Research,pp. Accepted,2018.
11. Dehghanian, N , Mousavi Nadoushani, S.S , Saghafian, B,A Fuzzy Hybrid Clustering Method for Identifying Hydrologic Homogeneous Regions,J. of Hydroinformatics,pp. Accepted,2018.
12. Sadeghi, L , Saghafian, B , Moazami, S,Evaluation of IMERG and MRMS remotely-sensed snowfall products,International Journal of Remote Sensing,pp. Accepted,2018.
13. Sanginabadi, H , Saghafian, B , Delavar, M,Coupled groundwater drought-water scarcity index for intensively over-drafted aquifers,ASCE J. of Hydrologic Engineering,pp. Accepted,2018.
14. Kolachian, R ,& Saghafian, B,Deterministic and probabilistic evaluation of raw and post processed sub-seasonal to seasonal precipitation forecasts in different precipitation regimes,Theoretical and Applied Climatology,pp. Accepted,2018.
15. Rashidi, M.H , Saghafian, B , Bazargan Lari, M.R,Best management practices (BMPs) site selection for reducing urban surface runoff at target locations,Desalination and Water Treatment,pp. 109-119,2017.
16. Tayefeh, N , Zahraie, B , Saghafian, B,Coupling snow accumulation and melt rate modules of monthly water balance models with the Jazim monthly water balance model,Hydrological Sciences Journal,Vol. 62,pp. 2348-2368,2017.
17. Oftadeh, E , Shourian, M , Saghafian, B,An ultimatum game theory based approach for basin scale water allocation conflict resolution,Water Resources Management,Vol. 31,pp. 4293-4308,2017.
18. Dehghani, M , Saghafian, B , Rivaz, F , Khodadadi, A,Evaluation of Dynamic Regression and Artificial Neural Networks Models for Real Time Hydrological Drought Forecasting,Arabian Journal of

Geosciences,pp. 266:1-13,2017.

19. Azari, M , Saghafian, B , Moradi, H.R , Faramarzi, M,Effectiveness of soil and water conservation practices under climate change in the Gorganroud basin,CLEAN–Soil, Air, Water,Vol. 45,pp. 45(8):1-12,2017.
20. Heidarpour, H , Saghafian, B , Yazdi, J , Azamathulla, H.M,Effect of extraordinary large floods on at-site flood frequency analysis,Water Resources Management,Vol. 31,pp. 4187-4205,2017.
21. Rashidi, M.H , Saghafian, B , Bazargan Lari, M.R,Simulation and feasibility of biological and structural BMPs for stormwater control in the urbanizing watersheds,Earth Syst. Environ,Vol. 3,pp. 719-731,2017.
22. Ghasemi, A.R , Saghafian, B , Golian, S,Optimal Location of Artificial Recharge of Treated Wastewater Using Fuzzy Logic Approach,Journal of Water Supply: Research and Technology – AQUA,Vol. 66,pp. 141-156,2017.
23. Rashidi, M.H , Saghafian, B , Ghalkhani, H,Quantitative and qualitative assessment of rainwater harvesting as an alternative water source in semi-industrial areas,Desalination and Water Treatment,Vol. 65,pp. 125-135,2017.
24. Saghafian, B , Haghnegahdar, A , Dehghani, M,Effect of ENSO on Annual Maximum Floods and Volume Over Threshold in Southwestern Region of Iran,Hydrological Sciences Journal,Vol. 62,pp. 1039-1049,2017.
25. Mehdikhani, A.H , Saghafian, B , Arasteh, P.D,A new damage-probability approach for risk analysis of rain-fed agricultural systems under meteorological drought,KSCE Journal of Civil Engineering,Vol. 21,pp. 1453-1461,2017.
26. Khodadoost, S , Saghafian, B , Moazzami, S,Comprehensive evaluation of 3- hourly TRMM and half-hourly GPM-IMERG satellite precipitation products,International Journal of Remote Sensing,Vol. 38,pp. 558-571,2017.
27. Ghasemi, A.R , Saghafian, B , Golian, S,System dynamics approach for simulating water resources of an urban water system with emphasis on sustainability of groundwater,Environmental Earth Sciences,pp. 76:637,2017.
28. Saghafian, B , Davtalab, R , Rafieenasab, A , Ghanbarpour, M.R,An Integrated Approach for Site Selection of Snow Measurement Stations,Water,Vol. 8,pp. 539:1-13,2016.
29. Afshar, S , Saghafian, B , Vosughifar, H.R,Source apportionment of the sediments entering dam using lithological and mineralogical studies,Global J. Environ. Sci. Management,Vol. 2,pp. 265-274,2016.
30. Heydari, F , Saghafian, B , Delavar, M,Coupled quantity-quality simulation-optimization model for conjunctive surface-groundwater use,Water Resources Management,Vol. 30,pp. 4381-4397,2016.
31. Afshar, S , Shamsayi, A , Saghafian, B,Dam sediment tracking using spectrometry and Landsat 8 satellite image, Taleghan Basin, Iran,Environmental Monitoring and Assessment,pp. 188:104,2016.
32. Risk assessment of climate change impacts on runoff in Urmia Lake basin, Iran,J. of Hydrologic Engineering, ACSE,Vol. 21,pp. 04016023 (1-10),2016.
33. Oftadeh, E , Shourian, M , Saghafian, B,Evaluation of the Bankruptcy Approach for Water Resources Allocation Conflict Resolution at Basin Scale, Iran’s Lake Urmia Experience,Water Resources Management,Vol. 30,pp. 3519-3533,2016.
34. Zakeri Niri, M , Saghafian, B , Golian, S,Analytical Derivation of Overland Travel Time Based on Diffusive Wave Solution,J. of Hydrologic Engineering, ASCE,Vol. 21,pp. 04015065(1-7),2016.
35. Saghafian, B , Noroozpour, S , Kiani, M , Rafieei Nasab, A,A coupled ModClark-curve number rainfall-runoff model,Arabian Journal of Geosciences,Vol. 9,pp. 1-13,2016.
36. Sharifi, E , Steinacker, R , Saghafian, B,Assessment of GPM-IMERG and Other Precipitation Products against Gauge Data under Different Topographic and Climatic Conditions in Iran: Preliminary Results,Remote Sensing,Vol. 8,pp. 135,2016.
37. Azari, M , Moradi, H.R , Saghafian, B , Faramarzi, M,Climate change impacts on streamflow and sediment yield in the North of Iran,Hydrological Sciences Journal,Vol. 61,pp. 123-133,2016.

38. Ghobadi, F , Saghafian, B , Araghinejad, S,Environmental management in Urmia Lake: thresholds approach,International Journal of Water Resources Development,Vol. 32,pp. 77-88,2016.
39. Safavi, S , Shamsayi, A , Saghafian, B , Bateni, S.M,Modeling spatial pattern of salinity using MIKE21 and principal component analysis technique in Urmia Lake,Current World Environment,Vol. 10,pp. 626-633,2015.
40. Saghafian, B ,& Ghobadi, F,Hydrological drought early warning based on rainfall threshold,Natural Hazards,Vol. 79,pp. 815-832,2015.
41. Heidarpour , H , Saghafian, B , Golian, S,The Effect of Involving Exceptional Outlier Data on Design Flood Magnitude,Current World Environment,Vol. 10,pp. 698-706,2015.
42. Saghafian, B , Jannaty, M.H , Ezami, N,Inverse hydrograph routing optimization model based on the kinematic wave approach,Engineering Optimization,Vol. 47,pp. 1031-1042,2015.
43. Dehghani, M , Saghafian, B , Rivaz, F , Khodadadi, A,Monthly stream flow forecasting via dynamic spatio-temporal models,Stochastic Environmental Research and Risk Assessment,Vol. 29,pp. 861-874,2015.
44. Saghafian, B , Meghdadi, A.R , Sima, S,Application of the WEPP model to determine sources of runoff and sediment in a forested watershed,Hydrological Processes,Vol. 29,pp. 481-497,2015.
45. Shafiei, M et al.,Uncertainty assessment of the agro-hydrological SWAP model application at field scale: A case study in a dry region,Agricultural Water Management,Vol. 146,pp. 324-334,2014.
46. Saghafian, B , Golian, S , Khodadadi, H,Quasi-online flood forecasting in downstream of dams based on rainfall thresholds,Hydrology Research,Vol. 45,pp. 519-528,2014.
47. Shafiei, M et al.,Assessment of rain-gauge networks using a probabilistic GIS based approach,Hydrology Research,Vol. 45,pp. 551-562,2014.
48. Amini, A , Taherei Ghazvinei, P , Javan, M , Saghafian, B,Evaluating the impacts of watershed management on runoff storage and peak flow in Gav-Darreh watershed, Kurdistan, Iran,Arabian Journal of Geosciences,Vol. 7,pp. 3271-3279,2014.
49. Noroozpour, S , Saghafian, B , Akhondali, A.M , Radmanesh, F,Travel time of curved parallel hillslopes,Hydrology Research,Vol. 45,pp. 190-199,2014.
50. Byzedi, M , Saghafian, B , Mohammadi, K , Siosemarde, M,Regional analysis of streamflow drought: a case study in southwestern Iran,Environmental Earth Sciences,Vol. 71,pp. 2955-2972,2014.
51. Saghafian, B , Golian, S , Ghasemi, A.R,Flood frequency analysis based on simulated peak discharges,Natural Hazards,Vol. 71,pp. 403-417,2014.
52. Uncertainty analysis of streamflow drought forecast using artificial neural networks and Monte-Carlo simulation,International Journal of Climatology,Vol. 34,pp. 1169-1180,2014.
53. Saghafian, B ,& Mehdikhani, H,Drought characterization using a new copula-based trivariate approach,Natural Hazards,Vol. 72,pp. 1391-1407,2014.
54. Khazaei, M.R , Zahabiyoun, B , Saghafian, B , Ahmadi, S,Development of an Automatic Calibration Tool Using Genetic Algorithm for the ARNO Conceptual Rainfall-Runoff Model,Arabian Journal for Science and Engineering,Vol. 39,pp. 2535-2549,2014.
55. Khazaei, M.R , Ahmadi, S , Saghafian, B , Zahabiyoun, B,A newdaily weather generator to preserve extremes and low-frequency variability,Climatic Change,Vol. 119,pp. 631-645,2013.
56. Rashidi, M.H , Saghafian, B , Haghighi, F,Assessment of residential rainwater harvesting efficiency for meeting non-potable water demands in three climate conditions,Resources, Conservation & Recycling,Vol. 73,pp. 86-93,2013.
57. Regionalization by Fuzzy Expert System Based Approach Optimized by Genetic Algorithm,Journal of Hydrology,Vol. 486,pp. 271-280,2013.
58. Saghafian, B , Golian, S , Elmi, M , Akhtari, R, Monte Carlo Analysis of the Effect of Spatial Distribution of Storms on Prioritization of Flood Source Areas,Natural Hazards,Vol. 66,pp. 1059-1071,2013.
59. Saghafian, B , Anvari, S , Morid, S,Effect of SOI and spatially distributed climate data on improving the accuracy of ANN, ANFIS and K-NN streamflow forecasting models,Expert Systems,Vol. 30,pp.

367-380,2013.

60. Application of surrogate artificial intelligent models for real-time flood routing, *Water and Environment Journal*, Vol. 27, pp. 535-548, 2013.
61. Flood prediction in Southern Strip of Caspian Sea Watershed, *Water Resources*, Vol. 40, pp. 593-605, 2013.
62. Sabzevari, T , Saghafian, B , Talebi, A , Ardakanian, R, Time of concentration of surface flow in complex hillslopes, *J. Hydrol. Hydromech*, Vol. 61, pp. 269-277, 2013.
63. Taheri Shahraiyini, H , Ghafouri, M , Saghafian, B , Bagheri, S, Evaluation of novel fuzzy method and conceptual model in the long-term daily streamflow simulation, *J. River System*, Vol. 20, pp. 249-260, 2013.
64. Hosseinzadeh, Y , Saghafian, B , Bakhtiary, A, Impact Assessment of Periodical Variation Discharges on Water Quality of Anzali Wetland, *Switzerland Research Park Journal*, Vol. 102, pp. 228-234, 2013.
65. Oraei Zare, S , Saghafian, B , Shamsai, A, Multi-objective optimization for combined quality–quantity urban runoff control, *Hydrol. Earth Syst. Sci*, Vol. 16, pp. 4531-4542, 2012.
66. Oraei Zare, S , Saghafian, B , Shamsai, A , Nazif, S, Multi-objective optimization using evolutionary algorithms for qualitative and quantitative control of urban runoff, *Hydrol. Earth Syst. Sci. Discuss*, Vol. 9, pp. 777-817, 2012.
67. Soft and Hard Clustering Methods for Delineation of Hydrological Homogeneous Regions in the Southern Strip of the Caspian Sea Watershed, *Flood Risk Management*, Vol. 5, pp. 282-294, 2012.
68. Khazaei, M.R , Zahabiyou, B , Saghafian, B, Assessment of climate change impact on floods using weather generator and continuous rainfall-runoff model, *International Journal of Climatology*, Vol. 32, pp. 1997-2006, 2012.
69. Saghafian, B , Sima, S , Sadeghi, S , Jeirani, F, Application of unit response approach for spatial prioritization of runoff and sediment sources, *Agricultural Water Management*, Vol. 109, pp. 36-45, 2012.
70. Golian, S , Saghafian, B , Farokhnia, A, Copula-based interpretation of continuous rainfall-runoff simulations of a watershed in northern Iran, *Canadian Journal of Earth Sciences*, Vol. 49, pp. 681-691, 2012.
71. Comparison between Active Learning Method and Support Vector Machine for runoff modeling, *J. Hydrol. Hydromech*, Vol. 60, pp. 16-32, 2012.
72. Derivation of Travel Time Based on Diffusive Wave Approximation for the Time-Area Hydrograph Simulation, *J. of Hydrologic Engineering, ASCE*, Vol. 17, pp. 85-91, 2012.
73. Identification of homogenous regions in Gorganrood basin (Iran) for the purpose of regionalization, *Natural Hazards*, Vol. 61, pp. 1427-1442, 2012.
74. Shokoohi, A , & Saghafian, B, A semi analytical solution for rising limb of hydrograph in 2D overland flow, *International Journal of Civil Engineering*, Vol. 10, pp. 43-50, 2012.
75. Taheri Shahraiyini, H , Ghafouri, M , Bagheri, S , Saghafian, B, A new fuzzy modeling method for the runoff simulation in the Karoon basin, *International Journal of Water Resources and Arid Environments*, Vol. 4, pp. 440-449, 2011.
76. Golian, S , Saghafian, B , Maknoon, R , Elmi, M, Probabilistic rainfall thresholds for flood forecasting: Evaluating different methodologies for modeling rainfall spatial correlation, *Hydrological Processes*, Vol. 25, pp. 2046-2055, 2011.
77. Rahimi, M , Saghafian, B , Azadi, M , Sedghi, H, Flood forecasting in arid and semi arid region using continuous hydrological modeling, *World Applied Science Journal*, Vol. 10, pp. 645-654, 2010.
78. Golian, S , Saghafian, B , Sheshangosht, S , Ghalkhani, H, Comparison of classification and clustering methods in spatial rainfall pattern recognition at Northern Iran, *Theoretical and Applied Climatology*, Vol. 102, pp. 319-329, 2010.
79. Saghafian, B , Ghermezcheshmeh, B , Kheirikhah, M.M, Iso-flood severity mapping: a new tool for distributed flood source identification, *Natural Hazards*, Vol. 55, pp. 557-570, 2010.
80. Golian, S , Saghafian, B , Maknoon, R, Derivation of probabilistic thresholds of spatially distributed rainfall for flood forecasting, *Water Resources Management*, Vol. 24, pp. 3547-3559, 2010.

81. Saghafian, B ,& Noroozpour, S,Comments on development and testing of a new storm runoff routing approach based on time variant spatially distributed travel time method,Journal of Hydrology,Vol. 381,pp. 372-373,2010.
82. Abdolhay, A , Saghafian, B , Ghazali,Development of flood regional model in Gorganrood basin,International Journal of Energy and Environment,Vol. 3,pp. 45-52,2009.
83. Jalali, N , Saghafian, B , Imanov, F , Museyyibov, M,Recognition of shallow karst water resources and cave potentials using thermal infrared image and terrain characteristics in semi-arid regions of Iran,International Journal of Applied Earth Observation and Geoinformation,Vol. 11,pp. 439-447,2009.
84. Yazdani, M.R , Saghafian, B , Mahdian, M.H , Soltani, S,Monthly runoff estimation using artificial neural networks,Journal of Agricultural Science and Technology (JAST),Vol. 11,pp. 355-362,2009.
85. Saghafian, B,Regional hydrologic mapping of flows in stream networks,International Journal of Applied Earth Observation and Geoinformation,Vol. 11,pp. 317-323,2009.
86. Spatial patterns and temporal variability of drought in western Iran,Water Resources Management,Vol. 23,pp. 439-455,2009.
87. Saghafian, B ,& Rahimi Bondarabadi, S,Closure to validity of regional rainfall spatial distribution methods in mountainous areas,J. of Hydrologic Engineering, ASCE,Vol. 13,pp. 824-834,2008.
88. Saghafian, B ,& Rahimi, S,Validity of Regional Rainfall Spatial Distribution Methods in Mountainous Areas,J. of Hydrologic Engineering, ASCE,Vol. 13,pp. 531-540,2008.
89. Saghafian, B , Farazjo, H , Bozorgy, B , Yazdandoost, F,Flood intensification due to changes in land use,Water Resources Management,Vol. 22,pp. 1051-1067,2008.
90. Saghafian, B ,& Davtalab, R,Mapping snow characteristics based on snow observation probability,International Journal of Climatology,Vol. 27,pp. 1277-1286,2007.
91. Ghanbarpour, M.R , Saghafian, B , Mohseni Saravi, M , Abbaspour, K,Evaluation of spatial and temporal variability of snow cover in a large mountainous basin in Iran,Nordic Hydrology,Vol. 38,pp. 45-58,2007.
92. Saghafian, B,Nonlinear transformation of unit hydrograph,Journal of Hydrology,Vol. 330,pp. 596-603,2006.
93. Saghafian, B ,& Shokoohi, A.R,A corrected time-area technique for one-dimensional flow,International Journal of Civil Engineering,Vol. 4,pp. 34-41,2006.
94. Heidari, A , Saghafian, B , Maknoon, R,Assessment of flood forecasting lead time based on generalized likelihood uncertainty estimation approach,Stochastic Environmental Research and Risk Assessment,Vol. 20,pp. 363-380,2006.
95. Saghafian, B ,& Khosroshahi, M,Unit response approach for priority determination of flood source areas,J. of Hydrologic Engineering, ASCE,Vol. 10,pp. 270-277,2005.
96. Saghafian, B , Taheri, H , Tajrishi, M , Jalali, N,Modeling of spatial variability of daily rainfall in southwest of Iran,Scientia Iranica (International Journal of Science and Technology),Vol. 10,pp. 164-174,2003.
97. Spatio-temporal Mapping of Smoke Fraction Index Generated by the Kuwaiti Oil Well Fires,Asian Journal of Geoinformatics,Vol. 3,pp. 29,2002.
98. Saghafian, B , Julien, P.Y , Rajaie, H,Hydrograph simulation based on variable isochrone technique,Journal of Hydrology,Vol. 261,pp. 193-203,2002.
99. Saghafian, B , Van Lieshout, A.M , Rajaie, H.M,Distributed catchment simulation using a raster GIS,International Journal of Applied Earth Observation and Geoinformation,Vol. 2,pp. 199-203,2000.
100. Ogden, F.L ,& Saghafian, B,Green and Ampt infiltration with redistribution,J. of Irrigation and Drainage Engineering, ASCE,Vol. 123,pp. 386-393,1997.
101. Doe, W.W , Saghafian, B , Julien, P.Y,Land-use impact on watershed response: Integration of two-dimensional hydrological modelling and GIS,Hydrological Processes,Vol. 10,pp. 1503-1511,1996.
102. Julien, P.Y , Saghafian, B , Ogden, F.L,Raster-based hydrologic modeling of spatially-varied surface runoff,Water Resources Bulletin,Vol. 31,pp. 523-536,1995.
103. Saghafian, B ,& Julien, P.Y,Time to equilibrium for spatially variable watersheds,Journal of

Hydrology, Vol. 172, pp. 231-245, 1995.

104. Saghafian, B , Julien, P.Y , Ogden, F.L, Surface runoff similarity in catchment response: I. Stationary Storms, Water Resources Research, Vol. 31, pp. 1533-1541, 1995.